

# NCC SERIES FRONT & BACK COUNTERS

# NEUTRAL CURVED COUNTERS

## ALL METAL CONSTRUCTION

### SWING DOORS



### SLIDING DOORS







### STANDARD FEATURES

- Stainless steel adjustable feet
- Aisi 304 stainless steel finish; external finish and 2B internal stainless steel
- Round corners inside the model
- Ecological CFC free polyurethane foam
- Stainless steel intermediate adjustable shelf
- Stainless steel Aisi 304 working top
- Steel frame

### OPTIONS

- Stainless steel swing doors
- Stainless steel sliding doors
- Stone top (refer to Oscartek finish)
- LED interior lighting
- Casters
- Work top options:

-  Flat
-  Back splash 8"H (199mm)
-  Pre-arrangement for service top
-  Round per "Compact Round"

### NEUTRAL CURVED COUNTERS SPECIFICATIONS

MODELS	EXTERIOR LENGTHS	INTERIOR LENGTHS	DEPTHS	# OF DOORS	WEIGHTS (LBS)
90° A1A	59 1/4" (1503mm)	26 3/4" (682mm)	22 3/4" (580mm)	N/A	140
90° A1B	59 1/4" (1503mm)	26 3/4" (682mm)	25 3/4" (655mm)	N/A	146
90° A2A	72 3/4" (1846mm)	40 1/4" (1025mm)	22 3/4" (580mm)	2	193
90° A2B	72 3/4" (1846mm)	40 1/4" (1025mm)	25 3/4" (655mm)	2	203
30° A3A	52 1/4" (1329mm)	39" (990mm)	22 3/4" (580mm)	N/A	143
30° A3B	52 1/4" (1329mm)	39" (990mm)	25 3/4" (655mm)	N/A	146
90° A4A	41" (1039mm)	4 1/2" (113mm)	22 3/4" (580mm)	N/A	102
90° A4B	41" (1039mm)	4 1/2" (113mm)	25 3/4" (655mm)	N/A	110
45° A5A	22 1/4" (563mm)	4 3/4" (119mm)	22 3/4" (580mm)	N/A	70
45° A5B	22 1/4" (563mm)	4 3/4" (119mm)	25 3/4" (655mm)	N/A	77
90° A6A	29 3/4" (755mm)	9 3/4" (247mm)	22 3/4" (580mm)	N/A	112
90° A6B	29 3/4" (755mm)	9 3/4" (247mm)	25 3/4" (655mm)	N/A	117
90° C1A	41 1/4" (1051mm)	54 3/4" (1390mm)	22 3/4" (580mm)	2	220
90° C1B	41 1/4" (1051mm)	54 3/4" (1390mm)	25 3/4" (655mm)	2	240
30° C3A	63" (1598mm)	95 1/4" (2418mm)	22 3/4" (580mm)	N/A	145
30° C3B	63" (1598mm)	95 1/4" (2418mm)	25 3/4" (655mm)	N/A	148
90° C4A	20 1/4" (516mm)	52 3/4" (1337mm)	22 3/4" (580mm)	2	145
90° C4B	20 1/4" (516mm)	52 3/4" (1337mm)	25 3/4" (655mm)	2	180
45° C5A	11" (279mm)	28 1/2" (724mm)	22 3/4" (580mm)	N/A	82
45° C5B	11" (279mm)	28 1/2" (724mm)	25 3/4" (655mm)	N/A	132
90° C6A	14 1/4" (365mm)	37 1/4" (945mm)	22 3/4" (580mm)	N/A	170
90° C6B	14 1/4" (365mm)	37 1/4" (945mm)	25 3/4" (655mm)	N/A	187

A = 22 3/4" (580mm) | B = 25 3/4" (655mm)



1441 Rollins Roads, Burlingame, CA 94010  
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400  
 sales@oscartek.com | www.oscartek.com




# NCC SERIES FRONT & BACK COUNTERS


# NEUTRAL CURVED COUNTERS

OPTIONAL BACK SPLASH 8" H (199mm) SHOWN

**A - 22 3/4" D (580mm)  
SIDE VIEW**



**B - 25 3/4" D (655mm)  
SIDE VIEW**



90° A1




90° A2



30° A3




90° A4




45° A5



90° A6



90° C1



30° C3



90° C4



45° C5




90° C6



## PLAN VIEWS


90° A1




90° A2




30° A3




90° A4




45° A5




90° A6




90° C1




30° C3



90° C4



45° C5



90° C6



**A - 22 3/4" D (580mm)**

**B - 25 3/4" D (655mm)**



1441 Rollins Roads, Burlingame, CA 94010  
Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400  
sales@oscartek.com | www.oscartek.com

