


STANDARD FEATURES

- Double pane lift-up front glass
- Double pane sides
- Heat lamp
- Plexiglass sliding doors
- CS - dry heated plate
- CBM - bain marie hot wells
- Cases ship standard unfinished

OPTIONS

- Bumper addition for cart/trolley
- Rolling curtain
- Paper holder
- Pull-out faucet inside the tank
- Cutting board with knives pocket
- Scale holder
- Intermediate shelf
- RAL color/laminate front and side panels
- Casters



LA CROSSE HOT (CS - DRY)			
TECHNICAL FEATURES		MODELS	
		LA CROSSE CS1150	LA CROSSE CS1650
External Dimensions (L-D-H)	Inches	*46 7/8" - 45 3/8" - 45 1/4"	*66 9/16" - 45 3/8" - 45 1/4"
	Inches-MM	*1190 - 1152 - 1150	*1690 - 1152 - 1150
Crated Dimensions (L-D-H)	Inches	53 7/8" - 53 7/8" - 55 1/8"	73 5/8" - 53 7/8" - 55 1/8"
	Inches-MM	1370 - 1370 - 1400	1870 - 1370 - 1400
Power Supply**	(V/PH/HZ)	208-220V/1Ph/60Hz (2)	208-220V/1Ph/60Hz (2)
Power Amps	HEAT LAMP (V/A)	208-220V/2.5A	208-220V/3.5A
Direct Connection**	HOT PLATE (V/A)	120V/6.7A - NEMA 5-15P	120V/9.3A - NEMA 5-15P
Operating Temperature	°C / °F	80°C / 177°F	80°C / 177°F
Net Weights	Kg/Lb	200Kgs / 440Lbs	290Kgs / 639Lbs
Crated Weights	Kg/Lb	305Kgs / 672Lbs	435Kgs / 959Lbs

* DIMENSIONS ARE WITHOUT SIDE PANELS

** REQUIRES (2) INDEPENDENT POWER SUPPLY

LA CROSSE HOT (CBM - BAIN MARIE)			
TECHNICAL FEATURES		MODELS	
		LA CROSSE CBM1150	LA CROSSE CBM1650
External Dimensions (L-D-H)	Inches	*46 7/8" - 45 3/8" - 45 1/4"	*66 9/16" - 45 3/8" - 45 1/4"
	Inches-MM	*1190 - 1152 - 1150	*1690 - 1152 - 1150
Crated Dimensions (L-D-H)	Inches	53 7/8" - 53 7/8" - 55 1/8"	73 5/8" - 53 7/8" - 55 1/8"
	Inches-MM	1370 - 1370 - 1400	1870 - 1370 - 1400
Power Supply**	(V/PH/HZ)	208-220V/1Ph/60Hz (2)	208-220V/1Ph/60Hz (2)
Power Amps	HEAT LAMP (V/A)	208-220V/2.5A	208-220V/3.5A
Direct Connection**	BAIN MARIE (V/A)	208-220V/11.6 A	208-220V/17.4A
Operating Temperature	°C / °F	80°C / 177°F	80°C / 177°F
Net Weights	Kg/Lb	200Kgs / 440Lbs	290Kgs / 639Lbs
Crated Weights	Kg/Lb	305Kgs / 672Lbs	435Kgs / 959Lbs

* DIMENSIONS ARE WITHOUT SIDE PANELS



** REQUIRES (2) INDEPENDENT POWER SUPPLY

* Manufacturer reserves the right to change specifications without notice. Not responsible for error and omissions.





361-367 Beach Road, Burlingame, CA 94010
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
 sales@oscartek.com | www.oscartek.com






CS-DRY

PLAN VIEWS: LA CROSSE CS1150, LA CROSSE CS1650



REAR ELEVATIONS (OPERATOR SIDE): LA CROSSE CS1150, LA CROSSE CS1650



* Manufacturer reserves the right to change specifications without notice. Not responsible for error and omissions.





361-367 Beach Road, Burlingame, CA 94010
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
 sales@oscartek.com | www.oscartek.com





CBM - BAIN MARIE

PLAN VIEWS: LA CROSSE CBM1150, LA CROSSE CBM1650



REAR ELEVATIONS (OPERATOR SIDE): LA CROSSE CBM1150, LA CROSSE CBM1650



* Manufacturer reserves the right to change specifications without notice. Not responsible for error and omissions.



361-367 Beach Road, Burlingame, CA 94010
 Tel: 855.885.2400 | 650.342.2400 | Fax: 650.342.7400
 sales@oscartek.com | www.oscartek.com

